

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S133	86	S132 and (@ad<="20000803" or @rlad<="20000803")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/10/18 13:39
S132	102	725/39,44,47,52-53.ccls. and (((day or date or time or page) near3 (icon or key or field)) same (search\$3 or navigat\$3 or select\$3) and (pointer or cursor\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/10/18 13:38
S57	37	S56 and (@ad<="20000803" or @rlad<="20000803")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/10/18 13:38
S131	8	("6754905" "6025869" "6434621" "20030066085").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/06/15 19:00
S130	1	"5761603".pn.	USPAT	OR	OFF	2005/01/05 11:51
S129	3	("6571296" "5535206" "5798785").pn.	USPAT	OR	OFF	2005/01/05 11:51
S128	22	((jump or skip past\$1forward\$3) with (position) and download\$3) and "725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 22:03
S127	61	((jump or skip past\$1forward\$3) with (position)) and "725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 22:03
S126	61	((jump or skip past\$1forward\$3) with (position)) and "725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 22:03
S125	0	((jump or skip past\$1forward\$3) with (position) with latest) and "725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 22:02
S124	2	((jump or skip) with later) with (position) and "725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 22:02
S123	67	((jump or skip) with later) with (position)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 22:01

S12 2	135	((jump or skip) with later) same (position)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 22:00
S12 1	51	((jump or skip) with later) same (movie video)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 21:59
S12 0	6	((jump or skip) with later with select\$3) same video	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 21:56
S11 9	6	(jump or skip) with later with select\$3 same video	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 21:43
S11 8	59	(jump or skip) with later with select\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 21:43
S11 7	7	(jump or skip) with later with select	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 21:43
S11 6	1002	(jump or skip) with later	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 21:43
S11 5	1	Alexander.in. and page and PIP and advertisement and notification	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 21:42
S11 4	21	Alexander.in. and page and PIP	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 21:21
S11 3	26	(725/39,52-53,40).ccls. and ((last or end) near3 page)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 21:21
S11 2	2	(725/39,52-53,40).ccls. and ((last near3 page)with (IPG or EPG or guide))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 21:17

S11 1	172	(725/39,52-53,40).cccls. and ((last page)with (IPG or EPG or guide))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 21:15
S11 0	482	(725/39,52-53,40).cccls. and (last page)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 21:15
S10 9	1	(select\$3 near4 position near4 later) with (download\$3 or available)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 21:14
S10 8	75	(playback\$3 with position) with (download\$3 or available)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 21:03
S10 7	2	(playback\$3 with position) with later with (download\$3 or available)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 21:03
S10 5	121	(playback\$3 with position) with later	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 21:02
S10 6	5	S105 and "725"/\$.cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 21:01
S10 4	69	latest with (program near3 (guide or data or information)) with (present\$3 or display\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 21:01
S10 3	456	latest with (program near3 (guide or data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 20:53
S10 2	34	(position near3 later) with (present\$3 or play\$3 or display\$3) with (search\$3 or select\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 20:52
S10 1	30	(position near3 later) with (present\$3 or play\$3 or display\$3) with select\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 20:44

S100	306	(position near3 later) with (present\$3 or play\$3 or display\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 20:44
S99	8	(display\$3 or present\$3 or provid\$3) with select\$3 with position\$1 with downloaded	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 20:43
S98	0	(display\$3 or present\$3 or provid\$3) with late\$4 with position\$1 with downloaded	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 20:41
S97	8375	(display\$3 or present\$3 or provid\$3) with late\$4 with position\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 20:40
S93	110337	(display\$3 or present\$3 or provid\$3) with late\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 20:40
S96	21	S95 and "725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 20:36
S95	623	(display\$3 or present\$3 or provid\$3) with latest with (select\$3 or search\$3 or navigat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 20:36
S94	6836	(display\$3 or present\$3 or provid\$3) with late\$4 with (select\$3 or search\$3 or navigat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 20:36
S92	9	S91 and "725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 20:35
S91	190	(display\$3 or present\$3) with (latest near3 (data or information or segment\$1)) with (search\$3 or select\$3 or navigat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 20:01
S90	1505	(display\$3 or present\$3) with (latest near3 (data or information or segment\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 20:00

S88	250	(display with latest with select\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 19:59
S89	7	S88 and "725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 19:58
S87	2459	display with latest	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 19:57
S86	80	"United video properties".as. and (later)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 19:57
S81	11	"United video properties".as. and (Pvr)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 19:43
S85	3	(lat\$4 with than)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 19:42
S84	8	"United video properties".as. and later and latest	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 19:42
S83	80	"United video properties".as. and later	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 19:40
S82	5	"United video properties".as. and (Pvr) and later	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 19:40
S80	11523	Ellis.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 19:36
S79	3	lat\$4 with than	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 19:36

S78	0	(later with than)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/04 19:35
S76	1	"6754905".pn. and day and date	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/03 20:17
S77	1	"6754905".pn. and day with date	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/03 20:15
S75	170	S74 and (@ad<="20000803" or @rlad<="20000803")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/03 20:15
S74	270	((epg or ipg or (program near2 (guide or schedul\$3 or list\$3 or menu))))same (date with day\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/03 17:55
S73	413	((epg or ipg or (program near2 (guide or schedul\$3 or list\$3 or menu))))same (date same day\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/03 17:55
S72	651	((epg or ipg or (program near2 (guide or schedul\$3 or list\$3 or menu))))same (date and day\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/03 17:55
S71	2	"6754905".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/03 16:52
S69	45	S68 and (@ad<="20000803" or @rlad<="20000803")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/03 16:52
S70	2	725/40.ccls. and (time with (pag\$3 or increment\$3 or inscreas\$3) with add\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/03 15:51
S68	55	725/40.ccls. and (time with (pag\$3 or increment\$3 or inscreas\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/03 15:51

S34	110	725/52-53.ccls. and (@ad<="20000803" or @rlad<="20000803")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/03 15:50
S67	6	("6023267" "6016144" "6005601").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/03 15:49
S66	4	((epg or ipg or (program near2 (guide or schedul\$3 or list\$3 or menu)))) same (add\$3 with (increas\$7) near3 time))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/03 15:46
S64	11	((epg or ipg or (program near2 (guide or schedul\$3 or list\$3 or menu)))) same (add\$3 with (amount or index\$3) near3 time))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/03 13:23
S65	7	S64 and (@ad<="20000803" or @rlad<="20000803")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/03 13:22
S63	230	S62 and (@ad<="20000803" or @rlad<="20000803")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/03 13:22
S62	344	((epg or ipg or (program near2 (guide or schedul\$3 or list\$3 or menu)))same (add\$3 with time))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/03 13:21
S61	11	S60 and (@ad<="20000803" or @rlad<="20000803")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/03 13:21
S36	1867	((epg or ipg or (program near2 (guide or schedul\$3 or list\$3 or menu)))same date)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/03 13:20
S60	21	S59 and "725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/03 12:43
S59	1681	(add\$3 with time with index\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/03 12:43

S58	555	(add\$3 with time near3 index\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/03 12:43
S53	4	("20030066085" "5880768").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/03 12:43
S56	44	725/39,44,47,52-53.ccls. and (((day or date or time or page) near3 (icon or key or field)) same (search\$3 or navigat\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/03 10:48
S24	134	((naviga\$4 or search\$3) same (epg or ipg or (program near2 (guide or schedule)))same (current or latest)) and (@ad<="20000803" or @rlad<="20000803")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/03 10:48
S55	199	725/39,44,47,52-53.ccls. and ((day or date or time or page) near3 (icon or key or field))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/03 10:47
S54	424	725/39,44,47,52-53.ccls. and day	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/01/03 10:47
S38	96	((epg or ipg or (program near2 (guide or schedul\$3 or list\$3 or menu)))same ((field or icon or select\$4) near2 date))) and (@ad<="20000803" or @rlad<="20000803")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/05/05 20:41
S37	140	((epg or ipg or (program near2 (guide or schedul\$3 or list\$3 or menu)))same ((field or icon or select\$4) near2 date))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/05/05 20:41
S33	17	((epg or ipg or (program near2 (guide or schedul\$3 or list\$3 or menu)))same date same day same page\$1)) and (@ad<="20000803" or @rlad<="20000803")	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/05/05 20:41
S32	31	((epg or ipg or (program near2 (guide or schedul\$3 or list\$3 or menu)))same date same day same page\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/05/05 20:40
S35	68	725/52-53.ccls. and (@ad<="20000803" or @rlad<="20000803")and date	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/05/05 20:37

S31	1867	((epg or ipg or (program near2 (guide or schedul\$3 or list\$3 or menu)))same date)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/05/05 20:26
S2	2	((epg or ipg or 'program guide')same (stor\$3 or sav\$3 or buffer\$3) same (((('set top'or 'set up' or cable or comput\$3) near2 (box or device or unit or terminal or converter))or STB or STT or receiver))same ((date or day or time) near2 (field\$1 or icon\$1 or region\$1 or area))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/05/05 20:26
S5	96	725/39.ccls. and ((epg or ipg or 'program guide')same (stor\$3 or sav\$3 or buffer\$3) same (((('set top'or 'set up' or cable or comput\$3) near2 (box or device or unit or terminal or converter))or STB or STT or receiver))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2004/05/05 20:24
S30	15	Youman.in. and 'program guide'	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/12/30 22:30
S29	2	Knudson.in. and Bui.xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/12/30 22:29
S28	4	Gordon.in. and PIP and advertisement	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/12/30 22:27
S27	2	Alexander.in. and PIP and advertisement	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/12/30 22:25
S26	48	Alexander.in. and PIP	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/12/30 22:24
S25	1	1998-450469.NRAN.	DERWENT	OR	OFF	2003/07/10 14:12
S6	65	725/39.ccls. and ((epg or ipg or 'program guide')same (stor\$3 or sav\$3 or buffer\$3) same (((('set top'or 'set up' or cable or comput\$3) near2 (box or device or unit or terminal or converter))or STB or STT or receiver)) and (@ad<="20000803" or @riad<="20000803"))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/10 13:21
S23	189	(naviga\$4 or search\$3) same (epg or ipg or (program near2 (guide or schedule)))same (current or latest)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/10 13:20
S22	2	(naviga\$4 or search\$3) same (epg or ipg or (program near2 (guide or schedule)))same (latest)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/10 13:19

S21	187	(naviga\$4 or search\$3) same (epg or ipg or (program near2 (guide or schedule)))same current	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/10 13:18
S20	1005	(naviga\$4 or search\$3) same (epg or ipg or (program near2 (guide or schedule)))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/10 13:18
S19	0	(naviga\$4 or search\$3) same (epg or ipg or (program near2 (guide or schedule))) same (current and latest)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/10 13:18
S9	3	Boyer.in. and 'program guide' and (calender or calendar)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/10 13:16
S18	19	((epg or ipg or 'program guide')same (stor\$3 or sav\$3 or buffer\$3) same (((('set top'or 'set up' or cable or comput\$3) near2 (box or device or unit or terminal or converter))or STB or STT or receiver)same page\$1) and (@ad<="20000803" or @rlad<="20000803"))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/07 20:39
S17	56	(epg or ipg or 'program guide')same (stor\$3 or sav\$3 or buffer\$3) same (((('set top'or 'set up' or cable or comput\$3) near2 (box or device or unit or terminal or converter))or STB or STT or receiver)same page\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/07 20:38
S1	651	(epg or ipg or 'program guide')same (stor\$3 or sav\$3 or buffer\$3) same (((('set top'or 'set up' or cable or comput\$3) near2 (box or device or unit or terminal or converter))or STB or STT or receiver)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/07 20:36
S16	22	"5793438".URPN.	USPAT	OR	OFF	2003/07/07 20:27
S15	11	("4663615" "4951840" "4977455" "5353121" "5477262" "5479266" "5479268" "5539479" "5559550" "5585838" "5585866").PN.	USPAT	OR	OFF	2003/07/07 20:25
S14	2	"5793438".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/07 20:24
S13	0	"6481010".URPN.	USPAT	OR	OFF	2003/07/07 20:04
S12	5	("5699107" "5880768" "6005565" "6018372" "6023267").PN.	USPAT	OR	OFF	2003/07/07 20:00
S11	84	((('epg or ipg or 'program guide')same (((('set top'or 'set up' or cable or comput\$3) near2 (box or device or unit or terminal or converter))or STB or STT or receiver))same (search\$1 or navigat\$3)) and (@ad<="20000803" or @rlad<="20000803"))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/07 19:39

S10	135	((epg or ipg or 'program guide')same (((('set top'or 'set up' or cable or comput\$3) near2 (box or device or unit or terminal or converter))or STB or STT or receiver))same (search\$1 or navigat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2003/07/07 17:53
S8	3	"6057890".URPN.	USPAT	OR	OFF	2003/07/07 17:36
S7	7	("5353121" "5532754" "5671411" "5699107" "5710601" "5731844" "5822123").PN.	USPAT	OR	OFF	2003/07/07 17:33
S4	2	"5751372".URPN.	USPAT	OR	OFF	2003/07/07 16:09
S3	6	("5353121" "5523796" "5532754" "5559548" "5585838" "5596373").PN.	USPAT	OR	OFF	2003/07/07 16:04